IN THE CLAIMS:

Please amend the claims as follows:

1. *(currently amended)* ~~Method~~ A method for automatically adapting the contents of a mobile homepage of a mobile telephone device in accordance with context related information of said device, comprising
   - automatically determining context related information of said mobile telephone device, and
   - automatically adapting said mobile homepage in accordance with said determined context related information.

2. *(currently amended)* ~~Method~~ The method according to claim 1, further comprising evaluating said determined context related information and adapting said homepage in accordance with a result of said evaluation operation.

3. *(currently amended)* ~~Method~~ The method according to claim 1 [[or 2]], further comprising dispatching a communication request.

4. *(currently amended)* ~~Method~~ The method according to claim 1, [[2 or 3,]] further comprising receiving a communication request.

5. *(currently amended)* ~~Method~~ The method according to claim 3 [[or 4]], wherein said communication request is a multimedia call.

6. *(currently amended)* ~~Method~~ The method according to ~~anyone of the preceding claims~~ claim 1, wherein said context related information comprises communication properties.

7. *(currently amended)* ~~Method~~ The method according to ~~anyone of the preceding claims~~ claim 1, further comprising transmitting of said generated mobile homepage.

8. *(currently amended)* ~~Method~~ The method according to ~~anyone of the preceding claims~~ claim 1, further comprising receiving an identification of the originator of a communication attempt.

9. *(currently amended)* ~~Method~~ The method according to claim 6, wherein said communication properties comprise information about a communication connection of said mobile telephone device such as signal strength, location bandwidth or data rate.

10. *(currently amended)* ~~Method~~ The method according to claim 6, wherein said communication properties comprise information according to a communicative state of said mobile telephone device.

11. *(currently amended)* ~~Method~~ The method according to ~~anyone of the preceding claims~~ claim 1, comprising
- downloading the contents of a mobile homepage of said mobile telephone device,
- storing said downloaded mobile homepage on a server, said server containing a homepage, thereby automatically updating said homepage on said server according to said mobile homepage of said mobile telephone device.

12. *(currently amended)* ~~Method~~ The method according to claim [[13]] 11, wherein said downloading is initiated when it is detected that the attainability of the mobile telephone is expected to be reduced.

13. *(currently amended)* ~~Method~~ The method according to ~~anyone of the preceding claims~~ claim 1, comprising
- receiving a communication request for a connection to said mobile device,
- detecting if said mobile device is connectable, and
- in case said mobile device is not connectable, rerouting said communication request to a homepage downloaded from said mobile telephone device said communication request has been directed to.

14. *(currently amended)* ~~Method~~ The method according to ~~anyone of the preceding claims~~ claim 1, wherein said homepage is an HTML or XHTML homepage.

15. *(currently amended)* ~~Method~~ The method according to ~~anyone of the preceding claims~~ claim 1, wherein said homepage is a WML homepage.

16. *(currently amended)* ~~Software~~ A software tool comprising program code means for carrying out the steps of ~~anyone of claims 1 to 15~~ claim 1 when said program is run on a network device or a mobile telephone device.

17. *(currently amended)* ~~Computer~~ A computer program comprising program code means for carrying out the method of ~~anyone of claims 1 to 15~~ claim 1 when said program is run on a computer or network device.

18. *(currently amended)* ~~Computer~~ A computer program product comprising program code means stored on a computer readable medium for carrying out the method of ~~anyone of claims 1 to 15~~ claim 1 when said program is run on a network device or a mobile telephone device.

19. *(currently amended)* ~~Mobile~~ A mobile telephone device, comprising :
a server that provides a server functionality to said mobile telephone device,
a storage for storing at least one homepage on said mobile telephone device,
characterized by
a processor configured to determine context related information of said mobile telephone device and to adapt said homepage according to said determined context related information.

20. *(currently amended)* ~~Mobile~~ The mobile telephone device according to claim 19, further comprising at least one component for evaluating said context related information.

21. *(currently amended)* ~~Mobile~~ The mobile telephone device according to claim 19 [[or 20]], further comprising
- a processor configured to connect said mobile telephone to a server, and configured to transfer the contents of a mobile homepage of said mobile telephone device to said server.

22. *(currently amended)* ~~Mobile~~ The mobile telephone device according to claim 21, further comprising a processor configured to detect an attainability status of said mobile telephone device and to initiate said transfer of the mobile homepage contents, in case a decreased attainability status is detected.

23. *(currently amended)* ~~Network~~ A network server connectable to a mobile telephone
device, comprising:

a storage for storing at least one homepage,

characterized by

a processor configured for downloading a mobile homepage from said mobile telephone
device, and

a storage being connected to said processor for storing said downloaded homepage.

24. *(currently amended)* ~~Network~~ The network server according to claim 23, further
comprising a processor configured to detect an attainability status of said mobile
telephone device, and being configured to initiate said download of the mobile homepage,
in case a decreased attainability status of said mobile telephone is detected.